



VINCI
LIGHTING








Model C77721-ABBK
 Matte Black / Aged Brass Structure
 Faux Glass Alabaster

LIGHT SOURCE 21 x E26 Medium Base
 WATTAGE 60 Watt
 VOLTAGE 120V





Model C77715-ABBK

Matte Black / Aged Brass Structure

Faux Glass Alabaster

LIGHT SOURCE 15 x E26 Medium Base

WATTAGE 60 Watt

VOLTAGE 120V





Modern Luxury Loft Collection


Model C77713L-ABBK


Matte Black / Aged Brass Structure

Clear Glass

Canopy Dimension 54.00" x 13.78"

OAH	96.00"
LIGHT SOURCE	13 x E26 Medium Base
WATTAGE	60 Watt
VOLTAGE	120V





Model C77707-ABBK

Matte Black / Aged Brass Structure


Faux Glass Alabaster

LIGHT SOURCE 7 x E26 Medium Base

WATTAGE 60 Watt


VOLTAGE 120V





Model C77703-ABBK
 Matte Black / Aged Brass Structure
 Faux Alabater Glass

LIGHT SOURCE 3 x E26 Medium Base
 WATTAGE 60 Watt
 VOLTAGE 120V



Model C77701-ABBK
 Matte Black / Aged Brass Structure
 Faux Alabater Glass

LIGHT SOURCE 1 x E26 Medium Base
 WATTAGE 60 Watt
 VOLTAGE 120V







Modern Luxury Loft Collection

Model C88812L-ABBK


Matte Black / Aged Brass Structure

Clear Glass

Canopy Dimension 65.57" x 8.00"

HEIGHT	12.00"
Diameter	5.00"
OAH	72.00"
LIGHT SOURCE	12 x E12 or T25
WATTAGE	40 Watt
VOLTAGE	120V

Also Available in All Black





Model C5939DT-MB
Matte Black


Large Ring Diameter	39.00"
Small Ring Diameter	30.00"
Over All Height	120.00"
LIGHT SOURCE	17 x E12
WATTAGE	40 Watt
VOLTAGE	120V



Model C10821-48AB

BELLA GRANDE
Aged Brass Structure
AAA GRADE Crystals


LIGHT SOURCE 16 X 40Watt E12
VOLTAGE 120V




Model C1095-7AB/BK

Matte Black
Aged Brass Structure

LIGHT SOURCE 7 X 40Watt E12
VOLTAGE 120V







Model P10248-30-BK

Matte Black Structure

White Acrylic Diffuser

LENGTH	48.00"
HEIGHT	4.00"
WIDTH	4.00"
OAH	108.00"
LIGHT SOURCE	Integrated LED 3CCT 3000K-4000K-5000K
LUMENS	2950 Delivered
WATTAGE	38 Watt
VOLTAGE	120V



Canopy dimensions - 15.8" x 4.7" x 1.6"





Model C9090-4ABOP

Aged Brass Structure

Opal White Glass

OAH 48.00" (120" Wire)
LIGHT SOURCE 4 x E12 Candelabra
WATTAGE 60 Watt
VOLTAGE 120V





Model C9090-4BKOP

Matte Black Structure

Opal White Glass


OAH 48.00" (120" Wire)
LIGHT SOURCE 4 x E12 Candelabra
WATTAGE 60 Watt
VOLTAGE 120V




Model P1425-BK/AB
Matte Black / Aged Brass Structure
Opal White Glass

HEIGHT 18.26"
DIAMETER 9.45"
OAH 80.00"
LIGHT SOURCE 1 x E26 Medium Base
WATTAGE 60 Watt
VOLTAGE 120V


Slope Ceiling adapter Included




P1007-CL



P1012-CL



P1016-CL



CL = Clear Hammered Glass

BK = Black

AB = Aged Brass

CH = Polished Chrome

OAH 60.00"

LIGHT SOURCE 1 x E26 Medium Base

WATTAGE 60 Watt

VOLTAGE 120V






Model P2000-3AB/BK
Matte Black / Aged Brass Structure
Clear Hammered Glass
Light Source: 3 X Led 60W Medium Base E26





Model P1405-BKWH
Model P1405-ABWH
Matte Black Opal White Glass
Aged Brass Structure Opal White Glass
Fabric Jacket Cord

LIGHT SOURCE 1 x E26 Medium Base
WATTAGE 60 Watt
VOLTAGE 120V



Model P1404-AB-WH

Model P1404-BK-WH

BK=Matte Black

AB=Aged Brass


Fabric Jacket Cord

Opal White Glass

LIGHT SOURCE 1 x E26 Medium Base

WATTAGE 60 Watt

VOLTAGE 120V






Model CP5613-BK-WH
 Model CP5613-AB-WH

Matte Black Opal White Glass
 Aged Brass Structure Opal White Glass

LIGHT SOURCE 1 x E26 Medium Base
 WATTAGE 60 Watt
 VOLTAGE 120V



Model P6314-BS-WH

Aged Brass Structure

Opal White Glass

Model P6314-BK-WH

Matte Black Structure

Opal White Glass

DIAMETER	14.00"
HEIGHT	19.00"
OAH	95.00"
LIGHT SOURCE	1 x E26 Medium Base
WATTAGE	60 Watt
VOLTAGE	120V



P6310-BS-WH

Aged Brass Structure

Opal White Glass

P6310-BK-WH

Matte Black Structure


Opal White Glass

DIAMETER	10.00"
HEIGHT	15.00"
OAH	85.00"
LIGHT SOURCE	1 x E26 Medium Base
WATTAGE	60 Watt
VOLTAGE	120V




Model C1092-1AB/BK
 Matte Black + Aged Brass Structure
 Opal White Glass

LIGHT SOURCE 4 x G9 LED (Lamp Not Included)
 WATTAGE 40 Watt
 VOLTAGE 120V



Model CP8824-BK-WH
 Matte Black Structure
 White Linen Fabric Shade

HEIGHT 11.00
 WIDTH 24.50\"/>
 OAH 85.00\"/>
 LIGHT SOURCE 4 x E26 Medium Base
 WATTAGE 60 Watt
 VOLTAGE 120V



MAG4

Hi Proformance SLIM LED Recessed Light with Magnetic Trim.



9W



750LM



Dimmable



9W



Integrated LED



AC120V 60Hz




750LM



Dimmable



Suitable for Wet Location




4" round downlight for new & retrofit application onto existing 4" octagon box

Model FM3614

BK=Matte Black
AGB=Aged Brass
CH=Polished Chrome
Opal White Glass


LIGHT SOURCE AC LED
5CCT 3000K/3500K/4000K/5000K/6000K
Source Lumens 3200lm
WATTAGE 32 Watt
VOLTAGE 120V



Model FM3610

BK = Matte Black
AGB = Aged Brass
CH = Polished Chrome
Opal White Glass

LIGHT SOURCE AC LED
5CCT 3000K/3500K/4000K/5000K/6000K
Source Lumens 2200lm
WATTAGE 22 Watt
VOLTAGE 120V



Model FM9469

High Impact Acrylic Diffuser

DIAMETER 16.00"
HIGHT 3-15/16"
LIGHT SOURCE AC LED
WATTAGE 26Watt
LUMENS 2100 Delivered
COLOR TEMP 3CCT
3000K-4000K-5000K
DIMMABLE TRIAC - ELV
90 CRI



FM9469-15WH-WH



FM9469-15BK-GD




FM9469-15BK-WH

Model FM9414-BK

Opal White Glass

DIAMETER 12.00"
HIGHT 2-1/2"
LIGHT SOURCE AC LED
WATTAGE 20Watt
LUMENS 1600 Delivered
COLOR TEMP 3CCT
3000K-4000K-5000K
DIMMABLE TRIAC - ELV
90 CRI



Model FM9455

High Impact Acrylic Diffuser

DIAMETER 16.00"
HIGHT 3-15/16"
LIGHT SOURCE AC LED
WATTAGE 26Watt
LUMENS 2100 Delivered
COLOR TEMP 3CCT
3000K-4000K-5000K
DIMMABLE TRIAC - ELV
90 CRI



FM9455-15WH-GD



FM9455-15BK-GD





FM9455-15BK-WH

Model FM1140-15CHWH

Polished Chrome Body
Opal Glass Diffuser

DIAMETER 15.00"
HIGHT 3-3/8"
LIGHT SOURCE 2 x E26
VOLTAGE 120V



Model FM1132-13WH

White polymeric body and frosted acrylic diffuser
D: 13" x H: 2" ACLED 20W
3CCT 3000K-4000K-5000K
1700 Delivered Lumens 90CRI



Model FM1132-15WH

White polymeric body and frosted acrylic diffuser
D: 15" x H: 2.25" ACLED 30W
3CCT 3000K-4000K-5000K
2550 Delivered Lumens 90CRI



Model FM1132-20WH

White polymeric body and frosted acrylic diffuser
D: 20" x H: 2.25" ACLED 40W
3CCT 3000K-4000K-5000K
3400 Delivered Lumens 90CRI




Also Available in Black (in stock) and Custom Colors (Special Order)

Model FM38012-E-MB

Matte Black Structure

LIGHT SOURCE 1 x E26 Medium Base
R & PAR
WATTAGE 100W
VOLTAGE 120V





Model FM9216-BK
Black Fabric Shade - White Acrylic Diffuser

DIAMETER	16.00"
HIGHT	4.00"
LIGHT SOURCE	AC LED
WATTAGE	26Watt
LUMENS	2100 Delivered
COLOR TEMP	3CCT 3000K-4000K-5000K
DIMMABLE	TRIAC - ELV 90 CRI



Model FM9216-WH
White Fabric Shade - White Acrylic Diffuser

DIAMETER	16.00"
HIGHT	4.00"
LIGHT SOURCE	AC LED
WATTAGE	26Watt
LUMENS	2100 Delivered
COLOR TEMP	3CCT 3000K-4000K-5000K
DIMMABLE	TRIAC - ELV 90 CRI



Model FM0406-BK

Keep it simple and stylish with the disc-inspired silhouette of the contemporary Reals Outdoor LED Flush Mount ceiling light.

Matte Black Structure - White Glass

DIAMETER	4.75"
HIGHT	2.00"
LIGHT SOURCE	AC LED Dimmable
WATTAGE	12Watt
LUMENS	980 Delivered
COLOR TEMP	3CCT 3000K-4000K-5000K
DIMMABLE	TRIAC - ELV 90 CRI



Model FM0406-WH

Keep it simple and stylish with the disc-inspired silhouette of the contemporary Reals Outdoor LED Flush Mount ceiling light


Matte White Structure - White Glass

DIAMETER	4.75"
HIGHT	2.00"
LIGHT SOURCE	AC LED Dimmable
WATTAGE	12Watt
LUMENS	980 Delivered
COLOR TEMP	3CCT 3000K-4000K-5000K
DIMMABLE	TRIAC - ELV 90 CRI




Model WS1004-1AB

Aged Brass Structure
Opal White Glass




LIGHT SOURCE 1 x G9
WATTAGE 40 Watt
VOLTAGE 120V




Model WS1004-1BK

Matte Black Structure
Opal White Glass



LIGHT SOURCE 1 x G9
WATTAGE 40 Watt
VOLTAGE 120V






Model WS8506BK

Matte Black Structure - Opal White Glass

Model WS8506CH

Polished Chrome Structure - Opal White Glass

LIGHT SOURCE	AC LED Dimmable
WATTAGE	13 Watt
COLOR TEMP	3 CCT 3000k-4000k-5000k
LUMENS	1040 Delivered Lumens
VOLTAGE	120V



This Item can be installed up or down.






Model VL6321-E-BKWH
Matte Black Structure - Opal White Glass

Model VL6321-E-BNWH
Brushed Nickel Structure - Opal White Glass

LIGHT SOURCE 2 x E26 Medium Base
WATTAGE 60 watt
VOLTAGE 120V




This Item can be installed Vertical and Horizontal

Model VL1004-3AB

Aged Brass Structure
Opal White Glass


LENGTH 22.00"
HEIGHT 5.75"
DEPTH 5.12"
LIGHT SOURCE 3 x G9
WATTAGE 40 Watt
VOLTAGE 120V



Model VL1004-4AB

Aged Brass Structure
Opal White Glass

LENGTH 29.70"
HEIGHT 5.75"
DEPTH 5.12"
LIGHT SOURCE 4 x G9
WATTAGE 40 Watt
VOLTAGE 120V



Model VL1004-3BK

Matte Black Structure
Opal White Glass

LENGTH 22.00"
HEIGHT 5.75"
DEPTH 5.12"
LIGHT SOURCE 3 x G9
WATTAGE 40 Watt
VOLTAGE 120V



Model VL1004-4BK

Matte Black Structure
Opal White Glass

LENGTH 29.70"
HEIGHT 5.75"
DEPTH 5.12"
LIGHT SOURCE 4 x G9
WATTAGE 40 Watt
VOLTAGE 120V



Model VL1887-24BK

Matte Black - White Acrylic Diffuser

LENGTH 24.00"
 HEIGHT 5-1/8"
 DEPTH 3.95"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 1870 Delivered
 WATTAGE 22 Watt
 VOLTAGE 120V

Also Available in Polished Chrome




Model VL1887-36BK

Matte Black - White Acrylic Diffuser

LENGTH 36.00"
 HEIGHT 5-1/8"
 DEPTH 3.95"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 1870 Delivered
 WATTAGE 22 Watt
 VOLTAGE 120V

Also Available in Polished Chrome



Model VL6322WH-CH

Model VL6322WH-BK

Opal Glass Diffuser

LENGTH 22.00"
 DEPTH 3.00"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 1600 Delivered
 WATTAGE 20 Watt
 VOLTAGE 120V

Model VL6336WH-CH

Model VL6336WH-BK

Opal Glass Diffuser

LENGTH 36.00"
 DEPTH 3.00"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 2400 Delivered
 WATTAGE 30 Watt
 VOLTAGE 120V



Can be Installed Vertical and Horizontal





Model VL1374-24-3CCT-BK
Clear Ribbed + Opal White Acrylic


LENGTH 24.00"
 HEIGHT 4-3/8"
 DEPTH 3.00"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 2040 Delivered
 WATTAGE 25 Watt
 VOLTAGE 120V

Also Available in 36"

VL1374-24-3CCT-BN



VL1374-24-3CCT-SB



Model VL1382-24-3CCT-BK
High Impact White Acrylic

LENGTH 24.00"
 HEIGHT 4-3/8"
 DEPTH 3.00"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 2040 Delivered
 WATTAGE 25 Watt
 VOLTAGE 120V


Also Available in 36"

VL1382-24-3CCT-BN



VL1382-24-3CCT-SB






Model VL1384-24-3CCT-BK

Matte Black - White Acrylic Diffuser


LENGTH 24.00"
 HEIGHT 4.50"
 DEPTH 2.50"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 2100 Delivered
 WATTAGE 25 Watt
 VOLTAGE 120V



Model VL1384-36-3CCT-BK

Matte Black - White Acrylic Diffuser

LENGTH 36.00"
 HEIGHT 4.50"
 DEPTH 2.50"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 2400 Delivered
 WATTAGE 30 Watt
 VOLTAGE 120V




Can be Installed Vertical and Horizontal



Model VL60318BK-WH
Matte Black - White Glass Diffuser


LENGTH 18.00"
 HEIGHT 4.33"
 DEPTH 2.36"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 1650 Delivered
 WATTAGE 16 Watt
 VOLTAGE 120V



Can be Installed Vertical and Horizontal

Model VL60324BK-WH
Matte Black - White Glass Diffuser


LENGTH 24.00"
 HEIGHT 4.33"
 DEPTH 2.36"
 LIGHT SOURCE AC LED
 3 CCT 3000K-4000K-5000K
 LUMENS 1950 Delivered
 WATTAGE 24 Watt
 VOLTAGE 120V




Can be Installed Vertical and Horizontal




Model VL3714-2BK
 Matte Black - Opal White Glass
 2 X E26 Medium Base




Model VL3723-3BK
 Matte Black - Opal White Glass
 3 x E26 Medium Base




Model VL3100-2BK-WH
 Matte Black - Opal White Glass
 2 x E26 Medium Base




Model VL3100-3BK-WH
 Matte Black - Opal White Glass
 3 x E26 Medium Base








QR5 BOLLARD

- Bridgelux 2835 LED
- Corrosion resistant aluminum exterior
- Housing color: **Black**
- IP65 and IK08 rated
- Intergrated DIP switch for 3 CCT & watt and photosensor
- 5 years warranty



Model No.	Type	Watt	CCT	Chips	Efficacy @3000K (-3%)	LM(±10%) @3000K	Input Volt.	PF	CRI	SPD	Working Temp	IP
VLBLB-R6-CT-MV10-BK	Flat+Cone	14W-19W-24W Selectable	30K-35K-40K Selectable	Bridgelux	140lm/w	3360lm 2660lm 1960lm	120-347	>0.90	> 85	4KV	-40°C~+45°C -40°F~+113°F	IP65

3 CCT & WATTAGE SELECTABLE



Options (Minimum QTY Apply)


PHOTOSENSOR OPTIONS



180 DEGREE SPILL SHIELD
This spill shield can be added to the bollard to provide a 180 degree of light coverage.




THE TOP HEADS ARE INTERCHANGEABLE



EM BACKUP OPTIONS





Model OL3016-3CT-bk
Matte Black - Opal Glass Diffuser

LUMENS	3100 Delivered
3CCT	3000K,4000K,5000K
LIGHT SOURCE	AC LED
WATTAGE	40 Watt
VOLTAGE	120V





BLADE OUTDOOR COLLECTION

OL8088-3CCT-24BK

24"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
25W-2000 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-36BK

36"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
30W-2400 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-48BK

48"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
40W-3200 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-72BK

72"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
60W-4800 Delivered lumens.120V Triac dimmable.



OL8088-3CCT-24WH

24"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
25W-2000 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-36WH

36"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
30W-2400 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-48WH

48"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
40W-3200 Delivered lumens.120V Triac dimmable.

OL8088-3CCT-72WH

72"Lx2-1/8"Dx4-3/8"W LED Outdoor Wall Light.
90CRI,3CCT 3000K/4000K/5000K
60W-4800 Delivered lumens.120V Triac dimmable.



Model OW0307P-BK

Matte Black - Opal Glass Diffuser




LIGHT SOURCE AC LED 3000K

WATTAGE 9 Watt

3CCT 3000K - 4000K - 5000K

LUMENS 750 Delivered

VOLTAGE 120V




OL5310-GU-BK

Matte Black - Clear Glass Diffuser

LIGHT SOURCE 2 x GU10 LED (Not Included)

WATTAGE 25 Watt

VOLTAGE 120V



LED STEP LIGHT




STL1046-3K-WH

STL1046-3K-WH

REPLACEABLE LED MODULE

Made of durable die-cast aluminium with frosted diffuser. Durable powder coated finish for use in coastal outdoor applications.




LIGHT SOURCE AC LED 3000K

WATTAGE 5 Watt

LUMEN 85 lm

VOLTAGE 120V




STL1049-5CT-BK(Black)

STL1049-5CT-WH(White)

REPLACEABLE LED MODULE

Made of durable die-cast aluminium with frosted diffuser. Durable powder coated finish for use in coastal outdoor applications.



LIGHT SOURCE AC LED

5CCT 2700K-3000K-3500K-4000K-5000K

WATTAGE 3 Watt

LUMEN 80 lm

VOLTAGE 120V



P1012



FM0406



